Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	2	"20030056179"	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/12/01 13:36
L2	3497	715/810-846.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/12/01 13:37
L3	1154	2 and menu with (generat\$5 creat\$5 construct\$5 produc\$4 design\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/12/01 13:40
L4	997	3 and user with (prepared defined choices tasks functions commands)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/12/01 13:41
L5	89	4 and (subprogram component routines program) same main near3 program	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/12/01 13:43
L6	10	(4 5) and user with selectable with (choices tasks)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/12/01 13:46
L7	249	(3 4) and menu.ti.	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/12/01 13:46
L8	119	7 and ((non near4 exper\$4) expert\$4 exper\$6 ordinary know\$4) with user	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/12/01 13:48
L9	122	7 and ((non near4 exper\$4) expert\$4 exper\$6 ordinary know\$6) with user	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/12/01 13:49
L10	37	9 and menu near generat\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/12/01 13:49

L11	52	9 and menu near3 generat\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/12/01 13:50
L12	94	(9 10 11) and (submenu levels)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/12/01 13:51
L13	47	12 and menu with (choices preferences)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/12/01 13:52
L14	57352	13 and command and (shortcut aliases) and menu near configuration near3 (data file) and (menu command function) neart map\$4 near (file data)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR ·	ON	2006/12/01 13:55
L15	1	13 and command and (shortcut aliases) and menu near4 configuration near3 (data file) and (menu command function) near4 map\$4 near3 (file data)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/12/01 13:55
L16	2	command and (shortcut aliases) and menu near4 configuration near3 (data file) and (menu command function) near4 map\$4 near3 (file data)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/12/01 13:56
L17	15	12 and command and (shortcut aliases)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR .	ON	2006/12/01 13:58
L18	0	12 and configuration near map	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/12/01 13:59
L19	13	12 and configuration and map	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/12/01 14:04
L20	1	2 and (menu near4 configuration near3 file) and (command near4 map near2 file)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/12/01 14:05

L21	2	2 and (menu near4 configuration) and (command near4 map)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/12/01 14:06
L22	20	2 and stor\$5 with files same (menu with configuration)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR °	ON	2006/12/01 14:07
L23	2	22 and file same (refernce\$4 shortcut aliases function execut\$4) with map\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/12/01 14:09
L24	6	22 and file same (refernce\$4 shortcut aliases command menu function execut\$4) with map\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/12/01 14:14
L25	9	7 and configuration and map and user near4 (prepared construct\$4 generat\$4 creat\$4) with menu	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/12/01 14:18
L26	9	7 and configuration and map and user near4 (prepar\$4 construct\$4 generat\$4 creat\$4) with menu	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/12/01 14:19
L27	12	7 and configuration and map and user near4 (prepar\$4 construct\$4 generat\$4 creat\$4 modify\$4 edit\$4) with menu	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/12/01 14:19
L28	14	7 and configuration and map and user near4 (prepar\$4 construct\$4 generat\$4 creat\$4 modify\$4 edit\$4 customiz\$7) with menu	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/12/01 14:22
L29	1	7 and stor\$5 same configuration same command with map and user near4 (prepar\$4 construct\$4 generat\$4 creat\$4 modify\$4 edit\$4 customiz\$7) with menu	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/12/01 14:20
L30	1	7 and stor\$5 same configuration and command with map and user near4 (prepar\$4 construct\$4 generat\$4 creat\$4 modify\$4 edit\$4 customiz\$7) with menu	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/12/01 14:20

L31	2	7 and stor\$5 same configuration and command	US-PGPUB;	OR	ON	2006/12/01 14:21
		same map and user near4 (prepar\$4	USPAT;			
		construct\$4 generat\$4 creat\$4 modify\$4 edit\$4	EPO; JPO;			
		customiz\$7) with menu	DERWENT			:
			; IBM_TDB			